

**SPE RESPONSE FOR CERTIFICATE OF CORRECTION**

Paper No.: \_\_\_\_\_

**DATE** : February 10, 2007

**TO SPE OF** : ART UNIT 3616

*10/736130*

**SUBJECT** : Request for Certificate of Correction on Patent No.: 7124851 B2

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

Palm location **7580, Certificates of Correction Branch – South Tower – 9A22**

If response is for an IFW, return to employee (named below) via PUBSCofC Team in **MADRAS**.

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction (COCIN)? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Thank You For Your Assistance

Elisha Evans

Certificates of Correction Branch

Tel. No. 703-308-9390 EXT 110

**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

☐ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes do not apply.

☒ **Denied**

State the reasons for denial below.

**Comments:**

*Applicant has not provided any reason for clm 14 being deleted. Examiner points out that originally filed clm 14 has been cancelled and claim 14 in Pat.No. 7,124,851 is clm 19 (as orig. filed) and to further clarify the issue.*

*5/3/07*  
PAUL N. DICKSON  
SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 3600

*3616*

Art Unit